

Rigid PVC Pipe Manufacturing Raw Materials For Tooling Handle

Our Product Introduction


Basic Information

- Place of Origin: CHINA
- Brand Name: JULI
- Certification: ROHS,REACH,FDA
- Model Number: HPVC001
- Minimum Order Quantity: 1 Tons
- Price: USD1050-1500/TON
- Packaging Details: Woven Bag,25kg/Bag
- Delivery Time: 5-8 workdays
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 1000TONS/MONTH



Product Specification

- Capacity: 100-1000kg/h
- Material: PVC
- Condition: New
- Screw Design: Single/Double
- Density: 1.3-1.6
- Product Name: Injection Moulding Tooling Handle PVC Granules
- Highlight: **1.3 pvc pipe manufacturing raw materials, shore A 60 raw plastic granules, ASTM D792 pvc pipe manufacturing raw materials**



for more products please visit us on devforecer0704.com

Product Description

PVC plastic raw material (general grade),variety applications shoe sole,toys, household appliance

Product Description:

PVC plastic raw material is widely applied in toys ,household appliance, floor surfacing products, molded grips, handles and knobs, hose and tubing, vacuum cleaner accessories, suction cups and grommets. We have professional formulas to make different grades pvc plastic raw material.

Details Description:

PVC Raw material general grade

1. Excellent elasticity
2. Environment protect
3. Good resistance

Items	Test results	Test methods
Density	1.18 to 1.31	ASTM D792
Hardness	shore A 60-70	ASTM D2240
Tensile Strength	70-120Kgf/cm2	ASTM D 638
Elongation	270-360%	ASTM D 638
Tearing strength	27-46 Kgf/cm2	ASTM D 638

Product advantage:



1. Being widely used for irrigaiton and washing in the parks,community,factories and families,toys ,shoe sole.
2. The hose flexible,transparent,durable,non-toxic,without order.
3. Anti-erosion and adaptable to high pressure condition.
4. Maybe adding colorful symbol lines on the surface of hose.

Within each market are hundreds of applications for which we develop vinyl compounds. Juli's ability to formulate materials to specific customer specifications – including hardness, color and quantity – is of great value to our customers. We have a highly experienced staff who work closely with each customer, ensuring their exact vinyl needs are met each and every time.

Packing & delivery details:

1. Low MOQ: It can meet your promotional business very well.
2. Terms of delivery: FOB, CIF, CRF.
3. Terms of payment : L/C, T/T, Western Union,Cash.
4. Port of Loading :Shanghai,China.
5. Time of Delivery: 3 days for samples,1x20fcl within 10 work days.
6. Packing: Usually 25kg net weight in a Woven bag with insider PE bag,or other Seaworthy Packing as required.

Product pictures:





Jinan Yinghua Outdoor Equipment Co., Ltd.



+8618812345678



Puooedr@maoyt.com



devforecer0704.com

Room 402.Dongbao Building,No.19 Dongbao Road,Chaoyang,Beijing 201613,China