Versatile Hydraulic Scissor Lift Platform with 3000kg Capacity and 2300mm Lift Stroke

Basic Information

Certification: CE, ISO 9001



Product Specification

Model NO.: M4-030230-D2/2H

Product Name: Customized Hydraulic Scissor Lift Working

Platform

Capacity: 3000kg
Lift Stroke: 2300mm
Close Height: 1200mm
Transport Package: Wooden Pallet

Trademark: Marco
Origin: Ningbo
HS Code: 8428909090
Supply Ability: 1200pieces/Year

• Application: Workshop Crane, Shipboard Crane,

Warehouse Crane, Building Crane

• Lift Mechanism: Scissor Lift

Carrying Capacity: Special Weight Level

N.4-----

Product Description

Customized Hydraulic Scissor Lift Working platform With Removable Segments

Product Description

Customized Hydraulic Scissor Lift Working platform With Removable Segments

Mechanical data

3000kg Capacity Dia3100 or Platform size Dia3600mm Lift stroke 2300mm Lifting time 41s Closed height 1200mm Weight 2660kg Other Description

This table will be used to brick up a furnace. It's operated by a built-in foot control.

The table can be levelled with an adjustable foot in each corner of the frame and by removing segments on the outside of table, the diameter can be changed.

Marco Standard Components

All Marcolift standard lift tables are manufactured with high quality components to enhance reliability, durability and safety in operation.

Hoyer Denmark, Pump Bucher Motor protection IP55

Marco standard control **Control Panel** Sealing Sweden, SKF

Marco, with rapture valve Limit Cylinder USA, Suns

and damping switch

 $\textbf{Scissor} \hspace{0.2cm} \text{Q345B, profile steel}$ Aluminum with limit Safety frame switch

Hydraul USA, Eaton **Paint** Finland, Tikkurila

Marco Additional Component

In addition to the standard equipment of lift tables, it is possible to provide Marcolift lift table with a range of accessories to enhance safety, versatility, application and to simply handling.

Packaging & Shipping:

Main Loading Port: ShangHai or Ningbo

Production Delivery: 6-8 weeks (public holiday excluded)







