Hydraulic Scissor Lift Building Crane for Turbines Assemblying Working Platform

Basic Information

Certification: CE, ISO 9001



Product Specification

Model NO.: M4-020290-D4/2B

Product Name: Hydraulic Scissor Lift Working Platform

Capacity: 2000kgLift Stroke: 2900mmClose Height: 650mm

• Transport Package: Wooden Pallet

Trademark: Marco
Origin: Ningbo
HS Code: 8428909090
Supply Ability: 1200pieces/Year

• Application: Workshop Crane, Shipboard Crane,

Warehouse Crane, Building Crane

• Lift Mechanism: Scissor Lift

Carrying Capacity: Special Weight Level

Moves: Stationary

Product Description

Hydraulic Scissor Lift Working Platform for Turbines Assemblying

Product Description

Hydraulic Scissor Lift Working Platform for Turbines Assemblying

Mechanical data

Capacity 2000 Kg Lift stroke 2900 mm Lifting time 53 s Closed height 650 mm Weight 5125 Kg

Other details

Safety frame

The table consist of 2 scissors and a working platform with 2 hydraulically driven flaps, making a hole in the middle.

The table simplifies the assembly of turbines.

Marco Standard Components

All Marcolift standard lift tables are manufactured with high quality components to enhance reliability, durability and safety in operation.

Hoyer Denmark, protection Pump Bucher Motor

IP55

Control Panel Marco standard control box Sealing Sweden, SKF

Marco, with rapture valve Limit Cylinder USA, Suns switch

and damping

Scissor Q345B, profile steel Aluminum with limit switch

arm

c hose

Hydrauli USA, Eaton **Paint** Finland, Tikkurila

Marco Additional Component

In addition to the standard equipment of lift tables, it is possible to provide Marcolift lift table with a range of accessories to enhance safety, versatility, application and to simply handling.

Packaging & Shipping:

Main Loading Port: ShangHai or Ningbo

Production Delivery: 6-8 weeks (public holiday excluded)





+8618812345678



Puooedr@maoyt.com



devforecer0704.com

Room 402. Dongbao Building, No. 19 Dongbao Road, Chaoyang, Beijing 201613, China